



Ventilator Associated Pneumonia References

American Association of Critical Care Nurses. Practice Alert: Ventilator Associated Pneumonia. January 2008. http://www.aacn.org/WD/Practice/Docs/Ventilator_Associated_Pneumonia_1-2008.pdf. Accessed October 21, 2013.

American Thoracic Society, Infectious Diseases Society of America. Guidelines for the management of adults with hospital-acquired, ventilator-associated, and healthcare-associated pneumonia. *Am J Respir Crit Care Med*. 2005;171(4):388-416.

Bekaert M, Timsit JF, Vansteelandt S, et al. Attributable mortality of ventilator-associated pneumonia: a reappraisal using causal analysis. *Am J Respir Crit Care Med*. 2011;184(10):1133-1139.

Bercault N, Boulain T. Mortality rate attributable to ventilator-associated nosocomial pneumonia in an adult intensive care unit: a prospective case-control study. *Crit Care Med*. 2001;29(12):2303-2309.

Blunt MC, Young PJ, Patil A, Haddock A. Gel lubrication of the tracheal tube cuff reduces pulmonary aspiration. *Anesthesiology*. 2001;95(2):377-381.

Cardenosa Cendrero JA, Sole-Violan J, Bordes Benitez A, et al. Role of different routes of tracheal colonization in the development of pneumonia in patients receiving mechanical ventilation. *Chest*. 1999;116(2):462-470.

Chlebicki MP, Safdar N. Topical chlorhexidine for prevention of ventilator-associated pneumonia: a meta-analysis. *Crit Care Med*. 2007;35(2):595-602.

Cook D, Guyatt G, Marshall J, et al. A comparison of sucralfate and ranitidine for the prevention of upper gastrointestinal bleeding in patients requiring mechanical ventilation. Canadian Critical Care Trials Group. *N Engl J Med*. 1998;338(12):791-797.

Deem S, Treggiari MM. New endotracheal tubes designed to prevent ventilator-associated pneumonia: do they make a difference? *Respir Care*. 2010;55(8):1046-1055.

Dodek P, Keenan S, Cook D, et al. Evidence-based clinical practice guideline for the prevention of ventilator-associated pneumonia. *Ann Intern Med*. Aug 17 2004;141(4):305-313.

Dudeck MA, Horan TC, Peterson KD, et al. National Healthcare Safety Network report, data summary for 2011, device-associated module. *Am J Infect Control*. 2013;41(4):286-300.

Feldman C, Kassel M, Cantrell J, et al. The presence and sequence of endotracheal tube colonization in patients undergoing mechanical ventilation. *Eur Respir J*. 1999;13(3):546-551.

Fernandez JF, Levine SM, Restrepo MI. Technologic advances in endotracheal tubes for prevention of ventilator-associated pneumonia. *Chest*. 2012;142(1):231-238.

Garroute-Orgeas M, Chevret S, Arlet G, et al. Oropharyngeal or gastric colonization and nosocomial pneumonia in adult intensive care unit patients. A prospective study based on genomic DNA analysis. *Am J Respir Crit Care Med*. 1997;156(5):1647-1655.

Gil-Perotin S, Ramirez P, Marti V, et al. Implications of endotracheal tube biofilm in ventilator-associated pneumonia response: a state of concept. *Crit Care*. 2012;23;16(3):R93. [Epub ahead of print]

Guidelines for preventing health-care-associated pneumonia, 2003 recommendations of the CDC and the Healthcare Infection Control Practices Advisory Committee. *Respir Care*. 2004;49(8):926-939.

Hugonnet S, Eggimann P, Borst F, Maricot P, Chevrolet JC, Pittet D. Impact of ventilator-associated pneumonia on resource utilization and patient outcome. *Infect Control Hosp Epidemiol*. 2004;25(12):1090-1096.

Ibrahim EH, Tracy L, Hill C, Fraser VJ, Kollef MH. The occurrence of ventilator-associated pneumonia in a community hospital: risk factors and clinical outcomes. *Chest*. 2001;120(2):555-561.

Klevens RM, Edwards JR, Richards CL, Jr., et al. Estimating health care-associated infections and deaths in U.S. hospitals, 2002. *Public Health Rep*. 2007;122(2):160-166.

Kollef MH, Afessa B, Anzueto A, et al. Silver-coated endotracheal tubes and incidence of ventilator-associated pneumonia: the NASCENT randomized trial. *JAMA*. 2008;300(7):805-813.

Kollef MH, Shorr A, Tabak YP, Gupta V, Liu LZ, Johannes RS. Epidemiology and outcomes of health-care-associated pneumonia: results from a large US database of culture-positive pneumonia. *Chest*. 2005;128(6):3854-3862.

Koulenti D, Lisboa T, Brun-Buisson C, et al. Spectrum of practice in the diagnosis of nosocomial pneumonia in patients requiring mechanical ventilation in European intensive care units. *Crit Care Med*. 2009;37(8):2360-2368.

Labeau SO, Van de Vyver K, Brusselaers N, Vogelaers D, Blot SI. Prevention of ventilator-associated pneumonia with oral anti-septics: a systematic review and meta-analysis. *Lancet Infect Dis*. 2011;11(11):845-854.

Liberati A, D'Amico R, Pifferi S, Torri V, Brazzi L, Parmelli E. Antibiotic prophylaxis to reduce respiratory tract infections and mortality in adults receiving intensive care. *Cochrane Database Syst Rev*. 2009(4):CD000022.

Niel-Weise BS, Gastmeier P, Kola A, Vonberg RP, Wille JC, van den Broek PJ. An evidence-based recommendation on bed head elevation for mechanically ventilated patients. *Crit Care*. 2011;15(2):R111.

Nseir S, Zerimech F, Fournier C, et al. Continuous control of tracheal cuff pressure and microaspiration of gastric contents in critically ill patients. *Am J Respir Crit Care Med*. 2011;184(9):1041-1047.

Orozco-Levi M, Torres A, Ferrer M, et al. Semirecumbent position protects from pulmonary aspiration but not completely from gastroesophageal reflux in mechanically ventilated patients. *Am J Respir Crit Care Med*. 1995;152(4 Pt 1):1387-1390.

Poelaert J, Depuydt P, De Wolf A, Van de Velde S, Herck I, Blot S. Polyurethane cuffed endotracheal tubes to prevent early postoperative pneumonia after cardiac surgery: a pilot study. *J Thorac Cardiovasc Surg*. 2008;135(4):771-776.

Prevent Ventilator-Associated Pneumonia. Institute for Healthcare Improvement. 100,000 Lives Campaign. Available at: <http://www.ihl.org/IHI/Programs/Campaign/VAP.htm>. Accessed October 21, 2013.

Rello J, Ollendorf DA, Oster G, et al. Epidemiology and outcomes of ventilator-associated pneumonia in a large US database. *Chest*. 2002;122(6):2115-2121.

Scott R. The direct medical costs of healthcare-associated infections in U.S. hospitals and the benefits of prevention. In: Division of Healthcare Quality Promotion NCFP, Detection, and Control of Infectious Diseases, Coordinating Center for Infectious Diseases, Centers for Disease Control and Prevention, ed. Atlanta (GA)2009.

Scott RD. The direct medical costs of healthcare-associated infections in U.S. hospitals and the benefits of prevention. Centers for Disease Control and Prevention. March 2009. Available at: http://www.cdc.gov/hai/pdfs/hai/scott_costpaper.pdf. Accessed October 21, 2013.

Shojania KG, Duncan BW, McDonald KM, Wachter RM, Markowitz AJ. Making health care safer: a critical analysis of patient safety practices. *Evid Rep Technol Assess (Summ)*. 2001(43):i-x, 1-668.

Skrupky LP, McConnell K, Dallas J, Kollef MH. A comparison of ventilator-associated pneumonia rates as identified according to the National Healthcare Safety Network and American College of Chest Physicians criteria. *Crit Care Med*. 2012;40(1):281-284.

Valencia M, Ferrer M, Farre R, et al. Automatic control of tracheal tube cuff pressure in ventilated patients in semirecumbent position: a randomized trial. *Crit Care Med*. 2007;35(6):1543-1549.

Wang F, Bo L, Tang L, et al. Subglottic secretion drainage for preventing ventilator-associated pneumonia: an updated meta-analysis of randomized controlled trials. *J Trauma Acute Care Surg*. 2012;72(5):1276-1285.

Warren DK, Shukla SJ, Olsen MA, et al. Outcome and attributable cost of ventilator-associated pneumonia among intensive care unit patients in a suburban medical center. *Crit Care Med*. 2003;31(5):1312-1317.

Zanella A, Scaravilli V, Isgro S, et al. Fluid leakage across tracheal tube cuff, effect of different cuff material, shape, and positive expiratory pressure: a bench-top study. *Intensive Care Med*. 2011;37(2):343-347.



COVIDIEN, COVIDIEN with logo, Covidien logo, and *positive results for life* are U.S. and internationally registered trademarks of Covidien AG. ©2013 Covidien. 13-AW-0031(1)b

6135 GUNBARREL AVENUE
BOULDER, CO 80301
800-635-5267

COVIDIEN.COM/RMS