



# VersaOne™ Access System Reference Guide




OR ESSENTIALS  
**THE COMPLETE  
SOLUTION**  
YOU CAN TRUST

January 2019

**Medtronic**  
Further, Together



# NEW PRODUCT CODE NOMENCLATURE DESIGNED FOR EASY PRODUCT IDENTIFICATION




---

## EXAMPLE

### VersaOne™ Blunt Trocar, BPT12STS

BPT = Blunt, 12 = 12 mm,  
ST = Standard Length, S = Smooth Cannula

---



# VERSAONE™ ACCESS SYSTEM

## FULL PORTFOLIO

The VersaOne™ access system will help streamline our product codes. This guide provides information on product codes that will change, be discontinued and remain the same.

| Description  | Code             | Size  | Length | Units/Box |
|--|------------------|-------|--------|-----------|
| <b>VersaOne™ Optical Trocars</b>                         |                  |       |        |           |
| VersaOne™ Optical Trocar with Fixation Cannula           | <b>ONB5STF</b>   | 5 mm  | 100 mm | 6         |
| VersaOne™ Optical Trocar with Dual Pack Fixation Cannula | <b>ONB5STF2C</b> | 5 mm  | 100 mm | 6         |
| VersaOne™ Optical Trocar with Fixation Cannula           | <b>ONB5SHF</b>   | 5 mm  | 70 mm  | 6         |
| VersaOne™ Optical Trocar with Fixation Cannula           | <b>ONB5LGF</b>   | 5 mm  | 150 mm | 6         |
| VersaOne™ Optical Trocar with Fixation Cannula           | <b>ONB11STF</b>  | 11 mm | 100 mm | 6         |
| VersaOne™ Optical Trocar with Fixation Cannula           | <b>ONB11LGF</b>  | 11 mm | 150 mm | 6         |
| VersaOne™ Optical Trocar with Fixation Cannula           | <b>ONB12STF</b>  | 12 mm | 100 mm | 6         |
| VersaOne™ Optical Trocar with Smooth Cannula             | <b>ONB12STS</b>  | 12 mm | 100 mm | 6         |
| VersaOne™ Optical Trocar with Fixation Cannula           | <b>ONB12SHF</b>  | 12 mm | 70 mm  | 6         |
| VersaOne™ Optical Trocar with Fixation Cannula           | <b>ONB12LGF</b>  | 12 mm | 150 mm | 6         |
| VersaOne™ Optical Trocar with Fixation Cannula           | <b>ONB15STF</b>  | 15 mm | 100 mm | 6         |
| <b>VersaOne™ Blunt Trocar</b>                            |                  |       |        |           |
| VersaOne™ Blunt Trocar with Threaded Anchor              | <b>BPT12STS</b>  | 12 mm | 100 mm | 3         |



| Description                                      | Code              | Size  | Length | Units/<br>Box |
|--|-------------------|-------|--------|---------------|
| <b>VersaOne™ Bladed Trocars</b>                  |                   |       |        |               |
| VersaOne™ Bladed Trocar with Fixation Cannula    | <b>B5STF</b>      | 5 mm  | 100 mm | 6             |
| VersaOne™ Bladed Trocar with Smooth Cannula      | <b>B5STS</b>      | 5 mm  | 100 mm | 6             |
| VersaOne™ Bladed Trocar with Fixation Cannula    | <b>B5SHF</b>      | 5 mm  | 70 mm  | 6             |
| VersaOne™ Bladed Trocar with Smooth Cannula      | <b>B5SHS</b>      | 5 mm  | 70 mm  | 6             |
| VersaOne™ Bladed Trocar with Fixation Cannula    | <b>B11STF</b>     | 11 mm | 100 mm | 6             |
| VersaOne™ Bladed Trocar with Smooth Cannula      | <b>B11STS</b>     | 11 mm | 100 mm | 6             |
| VersaOne™ Bladed Trocar with Fixation Cannula    | <b>B12STF</b>     | 12 mm | 100 mm | 6             |
| VersaOne™ Bladed Trocar with Smooth Cannula      | <b>B12STS</b>     | 12 mm | 100 mm | 6             |
| VersaOne™ Bladed Trocar with Fixation Cannula    | <b>B12LGF</b>     | 12 mm | 150 mm | 6             |
| VersaOne™ Bladed Trocar with Smooth Cannula      | <b>B12LGS</b>     | 12 mm | 150 mm | 6             |
| <b>VersaOne™ Bladeless Trocars</b>               |                   |       |        |               |
| VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB5STF</b>   | 5 mm  | 100 mm | 6             |
| VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB5SHF</b>   | 5 mm  | 70 mm  | 6             |
| VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB5LGF</b>   | 5 mm  | 150 mm | 6             |
| VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB11STF</b>  | 11 mm | 100 mm | 6             |
| VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB12STF</b>  | 12 mm | 100 mm | 6             |
| VersaOne™ Bladeless Trocar with Smooth Cannula   | <b>NONB12STS</b>  | 12 mm | 100 mm | 6             |
| VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB12SHF</b>  | 12 mm | 70 mm  | 6             |
| VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB12LGF</b>  | 12 mm | 150 mm | 6             |
| VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB15STF</b>  | 15 mm | 100 mm | 6             |
| VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB15LGF</b>  | 15 mm | 150 mm | 6             |
| <b>VersaOne™ Universal Cannula</b>               |                   |       |        |               |
| VersaOne™ Universal Fixation Cannula             | <b>UNVCA5STF</b>  | 5 mm  | 100 mm | 6             |
| VersaOne™ Universal Fixation Cannula             | <b>UNVCA5SHF</b>  | 5 mm  | 70 mm  | 6             |
| VersaOne™ Universal Fixation Cannula             | <b>UNVCA5LGF</b>  | 5 mm  | 150 mm | 6             |
| VersaOne™ Universal Fixation Cannula             | <b>UNVCA11STF</b> | 11 mm | 100 mm | 6             |
| VersaOne™ Universal Fixation Cannula             | <b>UNVCA12STF</b> | 12 mm | 100 mm | 6             |
| VersaOne™ Universal Smooth Cannula               | <b>UNVCA12STS</b> | 12 mm | 100 mm | 6             |
| VersaOne™ Universal Fixation Cannula             | <b>UNVCA12LGF</b> | 12 mm | 150 mm | 6             |



# LEGACY PRODUCT CODE UPDATE

The VersaOne™ access system will help streamline our product codes. The following pages identify the changes being made to codes, packaging and trocar diameters.

| Legacy Description   | Legacy Code       | New Description                                | New Code          | Length | Units/<br>Box |
|--|-------------------|--|-------------------|--------|---------------|
| <b>Versaport™ Bladeless Optical Trocars</b>                        |                   | <b>VersaOne™ Optical Trocars</b>               |                   |        |               |
| Versaport™ Bladeless Optical 5 mm Standard Fixation                | <b>ONB5STF</b>    | VersaOne™ Optical Trocar with Fixation Cannula | No Change         | 100 mm | 6             |
| Versaport™ Bladeless Optical 5 mm Short Fixation                   | <b>ONB5SHF</b>    | VersaOne™ Optical Trocar with Fixation Cannula | No Change         | 70 mm  | 6             |
| Versaport™ Bladeless Optical 5 mm Long Fixation                    | <b>ONB5LGF</b>    | VersaOne™ Optical Trocar with Fixation Cannula | No Change         | 150 mm | 6             |
| Versaport™ Bladeless Optical 5 mm Standard Fixation, Dual Pack     | <b>ONB5STF2C</b>  | VersaOne™ Optical Trocar with Fixation Cannula | No Change         | 100 mm | 6             |
| Versaport™ Bladeless Optical 11 mm Standard Fixation               | <b>ONB11STF</b>   | VersaOne™ Optical Trocar with Fixation Cannula | No Change         | 100 mm | 6             |
| Versaport™ Bladeless Optical 11 mm Long Fixation                   | <b>ONB11LGF</b>   | VersaOne™ Optical Trocar with Fixation Cannula | No Change         | 150 mm | 6             |
| Versaport™ Bladeless Optical 12 mm Standard Fixation               | <b>ONB12STF</b>   | VersaOne™ Optical Trocar with Fixation Cannula | No Change         | 100 mm | 6             |
| Versaport™ Bladeless Optical 12 mm Short Fixation                  | <b>ONB12SHF</b>   | VersaOne™ Optical Trocar with Smooth Cannula   | No Change         | 70 mm  | 6             |
| Versaport™ Bladeless Optical 12 mm Long Fixation                   | <b>ONB12LGF</b>   | VersaOne™ Optical Trocar with Fixation Cannula | No Change         | 150 mm | 6             |
| Versaport™ Bladeless Optical 12 mm Standard Smooth                 | <b>ONB12STS</b>   | VersaOne™ Optical Trocar with Smooth Cannula   | No Change         | 100 mm | 6             |
| Versaport™ Bladeless Optical 5 mm Standard Fixation, Cannula Only  | <b>ONBFCA5ST</b>  | VersaOne™ Universal Fixation Cannula           | <b>UNVCA5SHF</b>  | 100 mm | 6             |
| Versaport™ Bladeless Optical 5 mm Short Fixation, Cannula Only     | <b>ONBFCA5SH</b>  | VersaOne™ Universal Fixation Cannula           | <b>UNVCA5LGF</b>  | 70 mm  | 6             |
| Versaport™ Bladeless Optical 5 mm Long Fixation, Cannula Only      | <b>ONBFCA5LG</b>  | VersaOne™ Universal Fixation Cannula           | <b>UNVCA5STF</b>  | 150 mm | 6             |
| Versaport™ Bladeless Optical 11 mm Standard Fixation, Cannula Only | <b>ONBFCA11ST</b> | VersaOne™ Universal Fixation Cannula           | <b>UNVCA11STF</b> | 100 mm | 6             |
| Versaport™ Bladeless Optical 12 mm Standard Fixation, Cannula Only | <b>ONBFCA12ST</b> | VersaOne™ Universal Fixation Cannula           | <b>UNVCA12STF</b> | 100 mm | 6             |
| -----  | -----             | VersaOne™ Universal Smooth Cannula             | <b>UNVCA12STS</b> | 100 mm | 6             |
| Versaport™ Bladeless Optical 12 mm Long Fixation, Cannula Only     | <b>ONBFCA12LG</b> | VersaOne™ Universal Fixation Cannula           | <b>UNVCA12LGF</b> | 150 mm | 6             |
| <b>Bluntport™ Plus Trocars*</b>                                    |                   | <b>VersaOne™ Blunt Trocars</b>                 |                   |        |               |
| Bluntport™ Plus 12 mm with FoamGrip™ Standard Smooth               | <b>176626P</b>    | VersaOne™ Blunt Trocar with Threaded Anchor    | <b>BPT12STS</b>   | 100 mm | 3             |
| Bluntport™ Plus 12 mm with BluntGrip™ Standard Smooth              | <b>179075P</b>    | VersaOne™ Blunt Trocar with Threaded Anchor    | <b>BPT12STS</b>   | 100 mm | 3             |



| Legacy Description                                  | Legacy Code     | New Description                               | New Code          | Length | Units/Box |
|---|-----------------|---|-------------------|--------|-----------|
| <b>Versaport™ Bladed V2 Trocars*</b>                |                 | <b>VersaOne™ Bladed Trocars</b>               |                   |        |           |
| Versaport™ V2 5 mm Standard Fixation                | <b>179094F</b>  | VersaOne™ Bladed Trocar with Fixation Cannula | <b>B5STF</b>      | 100 mm | 6         |
| Versaport™ V2 5 mm Standard Smooth                  | <b>179094</b>   | VersaOne™ Bladed Trocar with Smooth Cannula   | <b>B5STS</b>      | 100 mm | 6         |
| Versaport™ V2 5 mm Short Fixation                   | <b>179093F</b>  | VersaOne™ Bladed Trocar with Fixation Cannula | <b>B5SHF</b>      | 70 mm  | 6         |
| Versaport™ V2 5 mm Short Smooth                     | <b>179093</b>   | VersaOne™ Bladed Trocar with Smooth Cannula   | <b>B5SHS</b>      | 70 mm  | 6         |
| Versaport™ V2 11 mm Standard Fixation               | <b>179095PF</b> | VersaOne™ Bladed Trocar with Fixation Cannula | <b>B11STF</b>     | 100 mm | 6         |
| Versaport™ V2 11 mm Standard Smooth                 | <b>179095P</b>  | VersaOne™ Bladed Trocar with Smooth Cannula   | <b>B11STS</b>     | 100 mm | 6         |
| Versaport™ V2 12 mm Standard Fixation               | <b>179096PF</b> | VersaOne™ Bladed Trocar with Fixation Cannula | <b>B12STF</b>     | 100 mm | 6         |
| Versaport™ V2 12 mm Standard Smooth                 | <b>179096P</b>  | VersaOne™ Bladed Trocar with Smooth Cannula   | <b>B12STS</b>     | 100 mm | 6         |
| Versaport™ V2 12 mm Long Fixation                   | <b>179097PF</b> | VersaOne™ Bladed Trocar with Fixation Cannula | <b>B12LGF</b>     | 150 mm | 6         |
| Versaport™ V2 12 mm Long Smooth                     | <b>179097P</b>  | VersaOne™ Bladed Trocar with Smooth Cannula   | <b>B12LGS</b>     | 150 mm | 6         |
| Versaport™ V2 5 mm Standard Fixation, Cannula Only  | <b>177092F</b>  | VersaOne™ Universal Fixation Cannula          | <b>UNVCA5STF</b>  | 100 mm | 6         |
| Versaport™ V2 5 mm Standard Fixation, Cannula Only  | <b>177092</b>   | VersaOne™ Universal Fixation Cannula          | <b>UNVCA5STF</b>  | 100 mm | 6         |
| Versaport™ V2 5 mm Standard Smooth, Cannula Only    | <b>177990</b>   | VersaOne™ Universal Fixation Cannula          | <b>UNVCA5STF</b>  | 100 mm | 6         |
| Versaport™ V2 5 mm Short Fixation, Cannula Only     | <b>177093F</b>  | VersaOne™ Universal Fixation Cannula          | <b>UNVCA5SHF</b>  | 70 mm  | 6         |
| Versaport™ V2 5 mm Short Smooth, Cannula Only       | <b>177093</b>   | VersaOne™ Universal Fixation Cannula          | <b>UNVCA5SHF</b>  | 70 mm  | 6         |
| Versaport™ V2 5 mm Short Smooth, Cannula Only       | <b>177991</b>   | VersaOne™ Universal Fixation Cannula          | <b>UNVCA5SHF</b>  | 70 mm  | 6         |
| Versaport™ V2 10 mm Standard Smooth, Cannula Only   | <b>177096P</b>  | VersaOne™ Universal Fixation Cannula          | <b>UNVCA11STF</b> | 100 mm | 6         |
| Versaport™ V2 10 mm Standard Smooth, Cannula Only   | <b>177994P</b>  | VersaOne™ Universal Fixation Cannula          | <b>UNVCA11STF</b> | 100 mm | 6         |
| Versaport™ V2 11 mm Standard Fixation, Cannula Only | <b>177090PF</b> | VersaOne™ Universal Fixation Cannula          | <b>UNVCA11STF</b> | 100 mm | 6         |
| Versaport™ V2 11 mm Standard Smooth, Cannula Only   | <b>177090P</b>  | VersaOne™ Universal Fixation Cannula          | <b>UNVCA11STF</b> | 100 mm | 6         |
| Versaport™ V2 11 mm Standard Smooth, Cannula Only   | <b>177992P</b>  | VersaOne™ Universal Fixation Cannula          | <b>UNVCA11STF</b> | 100 mm | 6         |
| Versaport™ V2 12 mm Standard Fixation, Cannula Only | <b>177091PF</b> | VersaOne™ Universal Fixation Cannula          | <b>UNVCA12STF</b> | 100 mm | 6         |
| Versaport™ V2 12 mm Standard Smooth, Cannula Only   | <b>177995P</b>  | VersaOne™ Universal Smooth Cannula            | <b>UNVCA12STS</b> | 100 mm | 6         |



\*Previously a box quantity of 3

# LEGACY PRODUCT CODE UPDATE

The VersaOne™ access system will help streamline our product codes. This guide provides information on product codes that will change, be discontinued and remain the same.

| Legacy Description                               | Legacy Code     | New Description                               | New Code         | Length | Units/Box |
|--|-----------------|---|------------------|--------|-----------|
| <b>Versaport™ RPF Bladed Trocars</b>             |                 | <b>VersaOne™ Bladed Trocars</b>               |                  |        |           |
| Versaport™ Plus RPF Bladed 8 mm Standard Smooth  | <b>179074P</b>  | No Replacement / To Be Discontinued           |                  |        |           |
| Versaport™ Plus RPF Bladed 10 mm Standard Smooth | <b>179076P</b>  | No Replacement / To Be Discontinued           |                  |        |           |
| Versaport™ Plus RPF Bladed 10 mm Long Smooth     | <b>179077P</b>  | No Replacement / To Be Discontinued           |                  |        |           |
| Versaport™ Plus RPF 15 mm Standard Smooth        | <b>179078P</b>  | No Change                                     | No Change        | 100 mm | 3         |
| Versaport™ Plus RPF 15 mm Standard Fixation      | <b>179078PF</b> | No Change                                     | No Change        | 110 mm | 3         |
| <b>Dexide™ Trocar</b>                            |                 | <b>VersaOne™ Bladed Trocars</b>               |                  |        |           |
| Dexide™ 5 mm Threaded Trocar                     | <b>4016</b>     | VersaOne™ Bladed Trocar with Fixation Cannula | <b>B5SHF</b>     | 70 mm  | 6         |
| Dexide™ 5 mm Threaded Trocar w/2 Cannulas        | <b>179076P</b>  | VersaOne™ Bladed Trocar with Fixation Cannula | <b>B5SHF</b>     | 70 mm  | 6         |
|  |                 | VersaOne™ Universal Fixation Cannula          | <b>UNVCA5SHF</b> | 70 mm  | 6         |





| Legacy Description                                      | Legacy Code      | New Description                                  | New Code          | Length | Units/Box |
|---|------------------|--|-------------------|--------|-----------|
| <b>Versaport™ Bladeless Trocars</b>                     |                  | <b>VersaOne™ Bladeless Trocars</b>               |                   |        |           |
| Versaport™ Bladeless Low Profile 2/3 mm Short Fixation  | <b>NB3SHFLP</b>  | No Change  | No Change         | 70 mm  | 6         |
| Versaport™ Bladeless Low Profile 5 mm Standard Fixation | <b>NB5STFLP</b>  | VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB5STF</b>   | 100 mm | 6         |
| Versaport™ Bladeless Low Profile 5 mm Short Fixation    | <b>NB5SHFLP</b>  | VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB5SHF</b>   | 70 mm  | 6         |
| Versaport™ Bladeless 5 mm Standard Fixation             | <b>NB5STF</b>    | VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB5STF</b>   | 100 mm | 6         |
| Versaport™ Bladeless 5 mm Short Fixation                | <b>NB5SHF</b>    | VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB5SHF</b>   | 70 mm  | 6         |
| Versaport™ Plus Bladeless 5 mm Long Fixation            | <b>NB5LGF</b>    | VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB5LGF</b>   | 150 mm | 6         |
| Versaport™ Bladeless 8 mm Standard Fixation             | <b>NB8STF</b>    | VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB8STF</b>   | 100 mm | 6         |
| Versaport™ Plus Bladeless 11 mm Standard Fixation       | <b>NB11STF</b>   | VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB11STF</b>  | 100 mm | 6         |
| Versaport™ Plus Bladeless 11 mm Standard Smooth         | <b>NB11STS</b>   | No Replacement / To Be Discontinued              |                   |        |           |
| Versaport™ Plus Bladeless 12 mm Standard Fixation       | <b>NB12STF</b>   | VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB12STF</b>  | 100 mm | 6         |
| Versaport™ Plus Bladeless 12 mm Standard Smooth         | <b>NB12STS</b>   | VersaOne™ Bladeless Trocar with Smooth Cannula   | <b>NONB12STS</b>  | 100 mm | 6         |
| Versaport™ Plus Bladeless 12 mm Short Fixation          | <b>NB12SHF</b>   | VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB12SHF</b>  | 70 mm  | 6         |
| Versaport™ Plus Bladeless 12 mm Long Fixation           | <b>NB12LGF</b>   | VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB12LGF</b>  | 150 mm | 6         |
| Versaport™ Plus Bladeless 15 mm Standard Fixation       | <b>NB15STF</b>   | VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB15STF</b>  | 100 mm | 6         |
| Versaport™ Plus Bladeless 15 mm Long Fixation           | <b>NB15LGF</b>   | VersaOne™ Bladeless Trocar with Fixation Cannula | <b>NONB15LGF</b>  | 150 mm | 6         |
| Versaport™ Plus 5 mm Standard Fixation, Cannula Only    | <b>NBFCA5ST</b>  | VersaOne™ Universal Fixation Cannula             | <b>UNVCA5STF</b>  | 100 mm | 6         |
| Versaport™ Plus 5 mm Short Fixation, Cannula Only       | <b>NBFCA5SH</b>  | VersaOne™ Universal Fixation Cannula             | <b>UNVCA5SHF</b>  | 70 mm  | 6         |
| Versaport™ Plus 11 mm Standard Fixation, Cannula Only   | <b>NBFCA11ST</b> | VersaOne™ Universal Fixation Cannula             | <b>UNVCA11STF</b> | 100 mm | 6         |
| Versaport™ Plus 12 mm Standard Fixation, Cannula Only   | <b>NBFCA12ST</b> | VersaOne™ Universal Fixation Cannula             | <b>UNVCA12STF</b> | 100 mm | 6         |



# VERSAONE™ ACCESS SYSTEM

## PRODUCT CODE MEASUREMENTS

### VersaOne™ Access System Product Code Measurements

| VersaOne™ Access System Products | Inner Diameter | Outer Diameter |
|----------------------------------|----------------|----------------|
| VersaOne™ Access System 5 mm     | 5.92 mm        | 8.46 mm        |
| VersaOne™ Access System 11 mm    | 11.47 mm       | 13.97 mm       |
| VersaOne™ Access System 12 mm    | 12.95 mm       | 15.52 mm       |

### Legacy Product Code Measurements

| Versaport™ Optical | Inner Diameter | Outer Diameter |
|--------------------|----------------|----------------|
| 5 mm               | 5.92 mm        | 8.46 mm        |
| 11 mm              | 11.47 mm       | 13.97 mm       |
| 12 mm              | 12.95 mm       | 15.52 mm       |

| Versaport™ Plus Bladeless | Inner Diameter | Outer Diameter |
|---------------------------|----------------|----------------|
| 5 mm                      | 5.92 mm        | 8.20 mm        |
| 11 mm                     | 11.33 mm       | 13.97 mm       |
| 12 mm                     | 12.95 mm       | 15.52 mm       |

| Versaport™ V2 Bladed | Inner Diameter | Outer Diameter |
|----------------------|----------------|----------------|
| 5 mm                 | 5.56 mm        | 8.00 mm        |
| 11 mm                | 11.33 mm       | 13.97 mm       |
| 12 mm                | 12.45 mm       | 15.14 mm       |

| Bluntport™ Plus | Inner Diameter | Outer Diameter |
|-----------------|----------------|----------------|
| 12 mm           | 12.45 mm       | 14.53 mm       |





Contact your Medtronic representative  
for more information or visit our website  
[medtronic.com/covidien](https://www.medtronic.com/covidien)

# Medtronic

IMPORTANT: Please refer to the package insert for complete instructions, contraindications, warnings and precautions.

© 2019 Medtronic. All rights reserved. Medtronic, Medtronic logo and Further, Together are trademarks of Medtronic.

™\* Third party brands are trademarks of their respective owners. All other brands are trademarks of a Medtronic company.  
18-weu-versaone-quick-ref-gui-oct18-2570250

[medtronic.com/covidien/en-gb/index.html](https://www.medtronic.com/covidien/en-gb/index.html)