



COMPATIBLE COMPONENTS REFERENCE CARD





Model 5392 EPG
Temporary Pacer



SURGICAL CABLES

Model	Type	Channel	Length
 5487 5487L	Disposable, short	A or V	6
	Disposable, long	A or V	12
 5832S	Reusable, small clip	A or V	12
 5833S 5833SL	Disposable, small clip, short	A or V	6
	Disposable, small clip, long	A or V	12

PATIENT CABLES

Model	Type	Channel	Length
 5433A	Reusable, short	A	6
 5433AL	Reusable, long	A	12
5433V	Reusable, short	V	6
5433VL	Reusable, long	V	12
 5846A	Disposable, short	A	6
 5846AL	Disposable, long	A	12
5846V	Disposable, short	V	6
5846VL	Disposable, long	V	12






L = Long (12'), S = Small Clip, A = Atrial, V = Ventricle

OTHER

Model	Type
 5409	Disposable pouch
 5803A	Indifferent electrode (plugs into 5433)
 53922	Disposable Cover
 53923	Carrying Case

PATIENT CABLES:

StreamLine™ Pacing Leads (Heart Wires)

Model	Type	Channel	Length
 A diagram of a StreamLine 6491F pacing lead. It features a coiled lead with a single electrode at the tip. A callout shows a magnified view of the electrode tip, which has a spiral pattern. The lead is connected to a rectangular connector.	6491F Unipolar, Pediatric	A or V	525 mm
 A diagram of a StreamLine 6492F pacing lead. It features a coiled lead with a single electrode at the tip. A callout shows a magnified view of the electrode tip, which has a spiral pattern. The lead is connected to a rectangular connector.	6492F Unipolar, Atrial	A	525 mm
 A diagram of a StreamLine 6494F pacing lead. It features a coiled lead with a single electrode at the tip. A callout shows a magnified view of the electrode tip, which has a spiral pattern. The lead is connected to a rectangular connector.	6494F Unipolar (2 per pack)	A or V	610 mm
 A diagram of a StreamLine 6495F pacing lead. It features a coiled lead with two electrodes at the tip. A callout shows a magnified view of the electrode tip, which has a spiral pattern. The lead is connected to a rectangular connector.	6495F Bipolar, Coaxial	A or V	475 mm
 A diagram of a StreamLine 6500F pacing lead. It features a coiled lead with a single electrode at the tip. A callout shows a magnified view of the electrode tip, which has a spiral pattern. The lead is connected to a rectangular connector.	6500F Unipolar, Premium	A or V	525 mm

Brief Statement

For a listing of indications, contraindications, precautions, warnings, and potential adverse events, please refer to the Instructions for Use.

medtronic.ca

99 Hereford Street
Brampton, Ontario
L6Y 0R3
Canada

Tel: (905) 460-3800
Fax: (905) 460-3998

Medtronic and the Medtronic logo are trademarks of Medtronic.

*Third party brands are trademarks of their respective owners.

All other brands are trademarks of a Medtronic company.

UC201301725b EC © 2017 Medtronic. All Rights Reserved.

Medtronic