Medtronic

Made for more.

Concerto Versa™ Detachable Coil

More technology in each coil. Fewer coils per procedure.[2]

The Concerto Versa coil offering includes two coils, designed to meet your procedural needs:

Concerto Versa core coil

From positioning to filling – a coil that adapts

Concerto Versa packing coil

A shapeless coil for tight packing



52%

higher packing density[†,3]

† On average, compared to Ruby packing coil when tested in a 10 mm diameter vessel model.

More compatible

Built with unparalleled catheter compatibility, Concerto Versa coil lets you address complex anatomies without sacrificing speed or precision.[2]

34% shorter catheterization time[‡,2]

35% less radiation exposure[‡,2]

Dual catheter compatibility

Each coil has the flexibility to be used with diagnostic catheter or microcatheter (ID ≥ 0.027" to ID ≤ 0.042").





‡ Compared to other microcatheter compatible coils when a 4 Fr diagnostic catheter (ID ≤ 0.042") can be used to reach the embolization target.

More volume

Designed with thick diameters and longer lengths to reduce the number of coils needed per procedure.[§,2]

50%

less inventory needed per **diameter**[◊,2]

More control

Combining high-volume capacity with small-coil control, Concerto Versa coil backs you up throughout your procedures:

Softness makes it trackable through the most tortuous anatomy.[2]

Fibers increase thrombogenicity compared to bare metal coils.[4]

99.7%

detachment system reliability[2]

§ Compared to any other microcatheter compatible coil commercially available.
◊ Compared to AZUR CX 35 and Interlock-35 for equivalent treatment options.

Concerto Versa coils provide more volume per coil.[1]

Concerto Versa core coil

Concerto Versa packing coil

On average:

25% more volume per coil than AZUR™* CX 35

31% more volume per coil than Ruby™* Standard

33% more volume per coil than Ruby Soft

25% more volume per coil than Ruby™* Packing

95% more volume per coil than Interlock™*-35

204% more volume per coil than Embold™* Fibered

54% more volume per coil than Embold™* Packing

69% more volume per coil than AZUR™* HydroPack 18

Fewer Concerto Versa coils are needed to fill a given volume.[1]

On average:





™*Third-party brands are trademarks of their respective owners.

Product ordering information

Concerto Versa core coil		
CFN	**Diameter (mm)**	**Length (cm)**
CV-3-5	3	5
CV-3-15	3	15
CV-4-5	4	5
CV-4-15	4	15
CV-5-20	5	20
CV-5-30	5	30
CV-6-20	6	20
CV-6-40	6	40
CV-7-20	7	20
CV-7-40	7	40
CV-8-20	8	20
CV-8-40	8	40
CV-9-20	9	20
CV-9-40	9	40
CV-10-20	10	20
CV-10-40	10	40
CV-12-30	12	30
CV-12-50	12	50
CV-14-40	14	40
CV-14-65	14	65
CV-16-40	16	40
CV-16-65	16	65
CV-18-40	18	40
CV-18-65	18	65
CV-20-40	20	40
CV-20-65	20	65
CV-24-40	24	40
CV-24-65	24	65
CV-28-40	28	40
CV-28-65	28	65
CV-32-40	32	40
CV-32-65	32	65

Concerto Versa packing coil	
CFN	**Length (cm)**
CVP-15	15
CVP-30	30
CVP-40	40
CVP-65	65

1. D01448665_B. Design characterization report Concerto Versa Coil Volume and Shelf Inventory Report. Medtronic data on file.
2. D01346573_A. Design characterization report Concerto Versa 2.0. Bench and animal testing may not be indicative of clinical performance. Medtronic data on file.
3. D01685883_A. Design characterization report Concerto Versa Packing Coil Pack Density Report. Medtronic data on file.
4. Girdhar G, Read M, Sohn J, Shah C, Shrivastava S. In-vitro thrombogenicity assessment of polymer filament modified and native platinum embolic coils. *J Neurol Sci*. April 15, 2014;339(1-2):97–101.

Indications for Use: The Concerto Versa™ detachable coil is indicated for arterial and venous embolization in the peripheral vasculature.

Contraindications: There are no known contraindications.

Potential Adverse Effects of the Device on Health: The potential complications include, but are not limited to the following: access site complications such as hematoma, hemorrhage, pain; death; device complications such as coil stretching, friction, fracture, breakage, migration, premature detachment, non-detachment; reaction to device materials such as hypersensitivity, fever, shock, foreign body reaction; systemic complications such as infection, pain, shock, fever, inflammation, toxicity, organ failure, nerve damage, necrosis, hypotention, hematoma, hemorrhagic complications, edema; thromboembolic complications such as ischemia, infarction, occlusion, embolism; incomplete or subtherapeutic response; vascular complications such as vasoconstriction, stenosis, dissection, perforation, fistula formation, occlusion.

Indications, contraindications, warnings and instructions for use can be found in the product labeling supplied with each device, or contact a Medtronic representative

CAUTION: Federal law (USA) restricts this device to sale by or on the order of a physician.

medtronic.com/concertoversa

US-CV-2601188 v2.0 ©2026 Medtronic. Medtronic, Medtronic logo, and Engineering the extraordinary are trademarks of Medtronic. ™*Third-party brands are trademarks of their respective owners. All other brands are trademarks of a Medtronic company. For distribution in the USA only. 09/2026