

BIS™ monitor for the ICU

Personalized dosing. Optimized care.

Improve patient outcomes with
patient-centric monitoring.



Patients are unique. Dosing should be too.

Every patient has unique needs. And in the ICU, the right amount of sedation depends on many individual factors. If you rely on routine monitoring alone, oversedation or undersedation may occur, which can each have negative consequences.

Oversedation

- Patient unable to participate in care¹
- Longer time on mechanical ventilation¹
- Longer length of stay in ICU¹
- Increased hospital cost¹
- Risk of delirium¹

Undersedation

- Anxiety and agitation²
- Risk of recall/awareness of unpleasant events²
- Patient safety²
- Staff safety²

The Bispectral Index (BIS™) monitor can help you provide just the right dose for each patient so you can feel confident you're providing the highest level of care.

Sedate with insight.

The BIS™ monitor provides a direct measure of sedative effects on the brain. And while it's most beneficial for patients who are chemically paralyzed or moderately to deeply sedated, it also helps inform for an objective assessment of sedation during:


- Mechanical ventilation
- Barbituate coma
- Bedside procedures
- Neuromuscular blockade

Used in conjunction with other monitoring protocols, the BIS™ monitor is an objective assessment tool that helps you ensure your patient is comfortable. Manage complex pain, agitation, and delirium issues, improve emergence and recovery times,^{3,4,5,6} and optimize patient outcomes.



Easy to use. Easy to interpret.

- Simply place a noninvasive sensor on the patient's forehead
- Easily set it up wherever you need to provide continuous care
- Get up and running quickly with easy training
- Spot trends to identify the best level for each patient
- View an objective number you can trust
- Let the algorithm do all the work



Care with confidence.

The BIS™ monitor helps you monitor the impact of sedation on each patient – especially during deep sedation when sedative scales can't be used. Using this information in real time, you can quickly mitigate negative side effects by adjusting sedation in tiny increments to achieve just the right dosage.

Peace of mind for ICU nurses.

Bedside nurses found the BIS™ monitor to be:

- Easy to use⁷
- Easy to interpret with BIS™ values⁷
- A helpful tool for communicating the patient's comfort level to their family⁷

Helps prevent postoperative issues.

The BIS™ monitor can be helpful in preventing postoperative issues, like delirium, PTSD, sleep disruption, and cognitive impairment.^{10,11} So you can feel confident in providing the best care.



Research shows that nurses feel more confident in their titration practices when using the BIS™ monitor, especially when used with a neuromuscular blockade.^{8,9}



Learn more at [Medtronic.com/BISinICU](https://www.medtronic.com/BISinICU) or contact your Medtronic representative today.

Sedation insight for specific patient populations.



Targeted Temperature Management (TTM)

BIS™ monitoring may help guide sedation practices during shivering management for patients undergoing TTM.¹²

Acute Respiratory Distress Syndrome (ARDS)

BIS™ monitoring may help guide sedation practices in patients with ARDS who are undergoing neuromuscular blockade with or without proning.¹³

The BIS™ monitoring system should not be used as the sole basis for diagnosis or therapy and is intended only as an adjunct in patient assessment. Reliance on the BIS™ monitoring system alone for intraoperative anesthetic management is not recommended.

1. Mahmood S, Parchani A, El-Menyar A, Zarour A, Al-Thani H, Latifi R. Utility of bispectral index in the management of multiple trauma patients. *Surg Neurol Int.* 2014 Sep 26;5:141. doi:10.4103/2152-7806.141890. PMID: 25317356; PMCID: PMC4192905.
2. Simpson JR, Katz SG, Laan TV. Oversedation in postoperative patients requiring ventilator support greater than 48 hours: A 4-year national surgical quality improvement program-driven project. *Am Surgeon.* 2013;79(10):1106-1110. doi:10.1177/000313481307901031.
3. Sanders R, Pandharipande P, Davidson A, et al. Anticipating and managing postoperative delirium and cognitive decline in adults. *BMJ.* 2011; 343:d4331.
4. Whitlock E, Vannucci A, Avidan M. Postoperative Delirium. *Minerva Anesthesiol.* 2011 April; 77(4): 448-456.
5. Abelha FJ, Luis C, Veiga D, et al. Outcome and quality of life in patients with postoperative delirium during an ICU stay following major surgery. *Crit Care.* 2013;17(5):R257.
6. Zywił MG, Hurley RT, Perruccio AV, et al. Health economic implications of perioperative delirium in older patients after surgery for a fragility hip fracture. *J Bone Joint Surg Am.* 2015; 97(10):829-836.
7. Hawks SJ, Brandon D, Uhl T. Nurse perception of Bispectral Index monitoring as an adjunct to sedation scale management in the critically ill pediatric patient. *Intensive and Critical Care Nursing.* 2013;29,1:28-39.
8. Ware H, Stutzman SE, McGarry L, et al. Does neurofunction monitoring enhance nursing confidence and comfort? *Pain Management Nursing.* 2018;19,2:157-162.
9. Lindholm ML, Brudin L, Sandin RH. Bispectral index monitoring: appreciated but does not affect drug dosing and hypnotic levels. *Acta anaesthesiol Scand.* 2008;52,1:88-94.
10. Lewis SR, Pritchard MW, Fawcett LJ, Punjasawadwong Y. Bispectral index for improving intraoperative awareness and early postoperative recovery in adults. *Cochrane Database Syst Rev.* 2019; 26,9:CD003843.
11. Punjasawadwong Y, Phongchiewboon A, Bunchungmongkol N. Bispectral index for improving anaesthetic delivery and postoperative recovery. *Cochrane Database Syst Rev.* 2014;(6). CD003843.
12. Madden LK, Hill M, May TL, et al. The implementation of targeted temperature management: An evidence-based guideline from the Neurocritical Care Society. *Neurocrit Care.* 2017;27(3):468-487.
13. Bass S, Vance ML, Reddy A, et al. Bispectral index for titrating sedation in ARDS patients during neuromuscular blockade. *Am J Crit Care.* 2019;28(5):377-384.

Medtronic

6135 Gunbarrel Avenue
Boulder, CO 80301
800.635.5267
medtronic.com

©2022 Medtronic. Medtronic, Medtronic logo, and Engineering the extraordinary are trademarks of Medtronic. All other brands are trademarks of a Medtronic company. 09/2022-US-PM-2200620 WF#7655733